



BIORESOURCES

The Field Station, Hull HU11 4QE
Tel: 01964 526911 Fax: 01964 529039
Email: Technical Services@marshallbio-uk.com

Customer/NVS	: Duncan Miller	Order Number:	
Requesting Site	: Marshall UK The Field Station Grimston Aldbrough, Hull East Yorkshire HU11 4QE	Testing Laboratory:	Marshall UK Laboratories, Grimston Aldbrough, Hull East Yorkshire HU11 4QE
Animal Source	: FIELD STATION	Lab No	: M,18.0000001.D
Species	: GUINEA PIG	Collected	: 02.01.2018
Animal Ref	: DUNKIN HARTLEY	Received	: 02.01.2018
No. of Animals	: 8	Specimen	: HEALTH MONITORING

ANIMAL HEALTH MONITORING REPORT

Necropsy : No Abnormalities Detected.
Summary Report : No Significant Findings.

Authorised by *J. Harrison* Laboratory Manager
Dated 11.01.2018

Animal Source	: FIELD STATION	Lab No	: M,18.0000001.D
Animal Ref	: DUNKIN HARTLEY	Collected	: 02.01.2018
Species	: GUINEA PIG	Received	: 02.01.2018
No. of Animals	: 8	Specimen	: HEALTH MONITORING

Viruses	Latest Results	Historical Results	Cumulative Results	Method
Simian Virus - 5	0/8	0/74	0/82	MFIA
Pneumonia Virus of Mouse (PVM)	0/8	0/74	0/82	MFIA
Reovirus - 3 (REO3)	0/8	0/74	0/82	MFIA
Lymph.Choriomeningitis (LCMV)	0/8	0/74	0/82	MFIA
Parainfluenza - 3	0/8	0/74	0/82	MFIA
Cytomegalovirus (GPCMV)	0/8	0/86	0/94	MFIA
Sendai virus (Send)	0/8	0/74	0/82	MFIA
Guinea Pig Adenovirus	0/8	0/40	0/48	IFA
Bacteria, Parasites and Fungi				
Dermatophytes	0/8	0/74	0/82	Skin Scrape, Gross Pathology
Ectoparasites	0/8	0/74	0/82	Hair Pluck, Microscopy
Endoparasites	0/8	0/74	0/82	Faecal Concentrate, Microscopy
Encephalitozoon cuniculi	0/8	0/74	0/82	MFIA
Bordetella bronchiseptica	0/8	0/74	0/82	Culture
Corynebacterium kutscheri	0/8	0/74	0/82	Culture
Pasteurella species	0/8	0/74	0/82	Culture
Salmonella species	0/8	0/74	0/82	Culture
B-haemolytic Strept. (A-G)	0/8	0/74	0/82	Culture
Streptococcus pneumoniae	0/8	0/74	0/82	Culture
Mycoplasma pulmonis	0/8	0/74	0/82	MFIA
Chlamydia psittaci	0/8	0/74	0/82	PCR
Yersinia pseudotuberculosis	0/8	0/74	0/82	Culture
Streptobacillus moniliformis	0/8	0/74	0/82	Culture
Clostridium piliforme	0/8	0/74	0/82	MFIA